

When Life Becomes Hard to Reach

Depression, the history of hope, and finding a supported way to participate in life

Brian Kennedy

There can be a particular loneliness in being told to do something that you already want to do. Answer the message. Make the appointment. Take a walk. Begin the work. You may know the suggestion is reasonable. You may even remember being someone who could follow it. Yet between knowing and beginning there is a distance you cannot easily explain. Eventually, the suggestion becomes another occasion to wonder what is wrong with you.

Sometimes you still want a life you can picture. You would like to enjoy your children, feel close to someone, become interested in an idea, or wake without immediately measuring the hours until you can lie down again. At other times even the picture has faded. You hear yourself saying that nothing matters and cannot tell whether you believe it, feel too tired to care, or are trying to stop another disappointment before it begins.

Other people may see the things you continue to do. You go to work, care for someone, prepare food, remember what needs remembering. Your life may look functional from outside while the experience of living it has become thin. Or functioning itself may have become difficult. There is no single outward appearance that earns a person the right to be taken seriously.

I want to begin with the experience you are having, before asking you to improve it. What has become hard to reach? What still matters, even faintly? What happens when you imagine wanting something for yourself? And what is actually being asked of you by the life you are living? These questions may lead in different directions. We can make room for that difference without losing the wish that things become more bearable.

Understanding has a practical purpose here. A person who needs treatment, company, protection, sleep, help with a burden, or a smaller beginning needs something more precise than a judgment about motivation. You do not have to settle on the correct explanation before you deserve care. We can begin with one ordinary moment and allow your understanding of it to change.

Several experiences can look like not wanting

Imagine that a friend sends an invitation. You read it, put the phone down, and do not answer. Perhaps you want to see them but cannot organize the sequence of getting ready and getting there. Perhaps you expect that they will need cheering up and have nothing left to give. Perhaps being with them would help, but you are ashamed to be seen this way. Perhaps you no longer enjoy the friendship. The unanswered message is the same; the human situation is different.

Interest, enjoyment, energy, the ability to begin, and the expectation that an action will lead somewhere are related without being identical. Research on anhedonia makes an important distinction between aspects of pleasure and the motivation to pursue it. That distinction invites a better question than whether you are trying hard enough: where, in this particular encounter, does participation become difficult? ^[3]

For some people, a simpler plan makes a difference. For others, even the smallest plan feels heavy. An invitation may also become easier when it stops being a performance: a friend brings food, stays briefly, and does not need you to be good company. We learn something from the conditions. If a practical adjustment makes no difference, we have learned something too. It does not prove that you did the adjustment incorrectly.

Depression can affect sleep, concentration, mood, interest and physical energy; it can include agitation as well as feeling slowed down. Biological, psychological and environmental factors may contribute. Persistent or worsening changes, especially those affecting daily life, deserve a health care assessment. Treatment can include psychotherapy, medication or other care suited to the person. This pathway can accompany that care; it cannot determine its place. ^[1]

There is also a quieter distinction worth protecting. You may be unable to begin something you value, and you may be reluctant to continue something that is hurting you. These can coexist. A life organized around everyone else's requirements can make your own wishes difficult to recognize. We need enough curiosity to hear both the difficulty of moving and the possibility that the direction itself needs reconsidering.

What happened when you wanted something?

A child does not learn about wanting in isolation. Wanting happens in a relationship. A child reaches, asks, protests, becomes excited, seeks comfort, makes an attempt. Someone responds, fails to notice, becomes irritated, changes the subject, or responds differently on different days. Over time, the child may become increasingly attentive to what the relationship can bear.

If a parent's availability was unpredictable, a wish could become an occasion for watchfulness. If sadness brought contempt, it might be easier to stop showing it. If excitement drew criticism or envy, success might be followed by an inward retreat. If protest made a depleted adult fall apart, the child might become remarkably undemanding. These are possible histories to consider when they fit your experience. They are not conclusions we can reach from present symptoms.

Bowlby's attachment perspective asks us to take the search for reliable care seriously. A person can need connection while having good reason to hesitate before seeking it. The question becomes what you have come to expect when you need another person, and what the people available now actually do. An old expectation and a current relationship deserve separate attention. ^[23]

Some forms of becoming quiet may have been intelligent adaptations to a difficult emotional world. Asking for less might have reduced conflict. Lowering expectations might have made repeated disappointment more survivable. Anticipating an adult's needs might have preserved

a precarious connection. Calling a response adaptive recognizes the conditions it answered and the limited options a child had. It does not mean the cost was small, that depression is beneficial, or that you consciously chose it.

Research finds an association between childhood maltreatment and later depression. It does not tell us the meaning of a particular person's withdrawal or establish that every depression comes from childhood. Family history can also include illness, inherited vulnerability, poverty, migration, care that was present, and adults trying to manage circumstances larger than themselves. An adequate account has room for these realities without requiring you to defend what hurt. ^[4]

Understanding a response in its setting can change the question you ask of yourself. Instead of only asking why you cannot hope, you might ask what hoping has tended to cost. Instead of demanding that you become more assertive, you might notice what you expect will happen when someone hears that you want something different. Then we can examine whether that expectation describes the present, the past, some of each, or neither.

It is possible to feel compassion for the child who asked for less and grief for the adult who is still living within that limit. You need not turn the adaptation into a treasured identity. You may appreciate what it helped you manage and want more room now. Both responses can belong in the same conversation.

The feelings that had little room

When people speak of suppressed emotion, they often think of sadness or anger. But tenderness, pleasure, pride, desire and hope can also become difficult to show or even notice. An excited child can discover that enthusiasm creates an unwelcome demand. An affectionate child can learn to offer care while concealing the wish to receive it. The narrowing may concern the whole range of feeling, including what would otherwise draw the person toward life.

Robert Bly's shadow metaphor offers one imaginative way to think about the qualities we have difficulty including in our account of ourselves. His author-site description locates this image in his work on the human shadow. Here it raises a modest question: has something you learned to keep out of view become difficult to recognize as yours? It does not establish a hidden event or require you to recover a supposedly complete earlier self. ^[12]

Gabor Maté's discussion of adaptation to unmet needs adds another question: what has maintaining a connection or meeting an expectation cost the person doing the adapting? That question can help us notice a neglected wish. His broad use of trauma should remain distinct from a PTSD diagnosis, and his cultural account cannot identify the cause of your depression or any other illness. ^[15]

There are differences within what we casually call shutting feelings down. You may know you are sad and choose to keep it private. You may move away from a feeling before it becomes clear. You may experience numbness without choosing it at all. Research on emotion regulation and expressive flexibility gives us reason to examine the strategy and its setting, rather than assume that all restraint is harmful. ^{[17], [18]}

You are allowed to keep a feeling private. At work, with an unsafe person, or while completing a necessary task, restraint may protect something important. The aim is a greater range of available responses: knowing what you feel when that is possible, choosing where it belongs, finding suitable company, and having ways to return to ordinary life. Strong emotion and public expression are not tests of honesty.

Richard Schwartz's parts-oriented approach can offer language for conflicting wishes. You might recognize both a wish to be interested and a response that says it is safer not to expect anything. If this language helps, you can listen to the concerns without deciding that one side must disappear. If it does not help, we can describe the conflict in ordinary words. Depression need not be understood as a protective part. ^[27]

The kind of company that leaves room for you

A person who cares about you may become worried and begin offering solutions. You may feel their concern and also feel yourself becoming harder to reach. Soon you are reassuring them, explaining why the suggestion is difficult, or promising an improvement you do not yet know how to make. The conversation that began with your need has become another responsibility. It can help to name the kind of company you are asking for, when it is safe enough to do so.

Sue Johnson's attachment-oriented work draws attention to the importance of being able to turn toward someone with a need. Tatkin's secure-functioning perspective includes care for both people. These ideas invite a practical question: can the other person be present without making you responsible for their reassurance? The question concerns what happens between you, rather than whether you are sufficiently open to support. ^{[24], [29]}

You might ask for a particular form of help: a short visit, a lift to an appointment, someone to sit nearby, or help choosing what can wait. Another person is allowed limits too. A clear inability to help can be disappointing without being a rejection of your worth. A punishing response is different. We should not rename that response as your difficulty receiving care.

There may be bodily clues to what the encounter is like: effort becomes slightly less heavy, you feel more alert, or you become tense when advice begins. Damasio and Carvalho's account gives bodily feeling a place in understanding experience, without telling us what a particular sensation means. You can attend to these clues if that helps, or stay with words and the observable details of the conversation. ^[26]

Sometimes you notice no internal change and still know that a task was shared or a limit respected. That is a meaningful difference in the conditions. You do not need to produce relief to justify the help you received. If receiving help feels unfamiliar, there can be time to discover what you think of it, including what you want to do differently next time.

Nor must you find one person who can supply everything. Different forms of support may come from a clinician, a friend, a service, a group, a relative or someone who understands a particular practical problem. Access is uneven, and difficulty finding support should be acknowledged as a real difficulty. The next step may concern locating help, rather than asking you to become more resourceful with what is already insufficient.

Grief that has had nowhere to go

An invented example may make this more concrete. Avital keeps functioning after a long period of caring for an ill parent. Friends ask whether things are easier now. She says they are, because there are fewer appointments. What she has not found a place to say is that she misses her parent, resents how alone she was in the caring, and feels ashamed that part of her is relieved. When someone suggests a new project, she feels a fatigue that the project alone does not explain.

Her first understanding is that she is afraid to move forward. On reflection, that sounds too tidy. She wants to move forward and is also tired, angry and grieving. She needs help with the accumulated practical work. She chooses to ask a trusted friend to sit with her while she sorts one small pile of papers, with no expectation of finishing it. Beforehand, she predicts that being seen will be embarrassing and that she may want to stop.

They spend ten minutes together. Avital feels some relief and then irritation when the friend suggests sorting a second pile. She stops. Later, her understanding becomes more specific: company can help when the limit remains hers. The experiment has not resolved the grief or established the source of her low mood. It has shown her something about the kind of help she can receive, and something about the amount of work still needing support.

Undigested grief is a useful metaphor when a loss has had too little acknowledgment, companionship or room in a person's life. There may have been no death. You may grieve care that did not arrive, a relationship you could not repair, health, an imagined future, or years spent living within a role that left little space for you. Different losses deserve their own meanings. Nothing requires us to discover a concealed loss beneath every depression.

There is a particular sorrow in recognizing that an adaptation was necessary. You might understand why you became self-sufficient and still wish someone had noticed how young you were. A sentence such as "I needed more help than I received" may be enough for one day. It need not lead immediately to forgiveness, confrontation, a family explanation or a long emotional exercise. Its value may be that a previously solitary fact has become speakable in suitable company.

Bereavement, depression and trauma-related difficulties can overlap while calling for different kinds of help. Prolonged grief disorder concerns a specific pattern following a death; it is not another name for all unresolved sorrow. If grief is persistent and disabling, a clinician can help clarify what care fits. You do not have to choose between honoring a loss and seeking relief. ^[20]

Living in a world that can discourage you

Your emotional life does not end at the boundary of your personal history. A workplace may reward constant availability and penalize limits. A partner may dismiss your wishes or make access to money, rest or friendship difficult. Discrimination, insecure housing, disability and financial dependence can restrict what is possible. We should ask who controls the conditions before deciding that your difficulty acting is mainly an inward problem.

Hillman's criticism of a psychology that places every difficulty inside the individual is useful here. His interview with Scott London asks therapy to look toward the environment, the economy and social conditions as well. That widens our attention; it does not require us to choose between personal suffering and public realities. Both may need care, and neither becomes irrelevant because the other exists. ^[13]

Work can offer livelihood, structure and connection. It can also expose someone to excessive demands, insecurity, bullying or little control, risks recognized by the World Health Organization. The question is what this workplace is doing in your life. A practical response may involve advice, documentation, accommodations, allies or a longer plan. A reflection exercise cannot make a punishing arrangement fair. ^[9]

Climate change, political decisions, war and threats to rights or stability can also affect your sense of a future. WHO and IPCC accounts take climate-related mental-health risks seriously. Your concern need not be treated as irrational. We can distinguish the conditions affecting you directly, what credible information tells you, what remains uncertain, and the repeated exposure that leaves you less able to live or contribute. ^{[8], [10]}

Reducing one source of relentless news does not settle the public problem. Joining others does not guarantee change. Yet each may affect the conditions under which you meet the problem. You may need company that can tolerate the seriousness of what you see without demanding either reassurance or despair. You may need help that is material before it is reflective: transport, food, reliable information, someone to share an obligation, or access to care.

There are also circumstances in which disclosure or confrontation brings real danger. You can keep your understanding private while seeking individual support and considering your options. A person should not have to prove agency by taking a risk that someone else prescribed. Greater clarity about a limit can matter even before the limit can be changed.

Meaning without a demand to make suffering meaningful

Thomas Moore's writing on dark nights offers language for periods when familiar sources of meaning no longer carry us. Used carefully, that perspective can slow the pressure to produce an immediate explanation. A depressive illness still deserves treatment. You need not interpret suffering as a spiritual passage, and relief need not wait until you have discovered what the experience means. ^[11]

James Hollis, discussing depression and work, draws attention to competing duties: earning a living may conflict with what the work costs a person. That question can be valuable when it is asked with respect for real obligations. What am I trying to sustain? What is being depleted? What resources would make another arrangement possible? An answer may be gradual, incomplete and shared with others. ^[14]

Bly's own account of his work with stories questions heroic narratives that leave little place for grief. We can take that invitation without deciding that everyone must descend into sorrow or emerge transformed. Sometimes the meaningful response is ordinary: someone

understands why a day is hard, a necessary burden is shared, or you no longer have to pretend that a loss was easy. ^[33]

Meaning can also remain unavailable. You may be too unwell, tired or constrained to consider large questions. There can be dignity in helping the next hour become manageable. A meal, an appointment, a familiar voice, permission to stop: none needs to become a symbol of your growth to matter. Your life deserves support even when you cannot offer an account of where it is going.

An action that can belong to you

Agency is the capacity to participate in what happens, within the limits of an actual life. Bandura distinguishes personal action, obtaining help through others, and collective action. This matters when independence has become the imagined proof of recovery. A request, a shared plan or another person's advocacy may extend your room to act. Depending on people does not cancel your participation. ^[7]

Bowen's account of differentiation includes realistic dependence alongside a considered position of one's own. In this pathway, that invites a question about a particular choice: can you recognize what matters to you while acknowledging the relationships and responsibilities involved? A choice can include caring for someone else. It can also include noticing when care has become an arrangement in which you repeatedly disappear. ^[22]

The first step may be very small, but its smallness alone does not make it useful. Sending a message that you do not want to send can still be compliance. Rest can become another task you feel you are failing. We need to know what you are choosing, why it matters to you, what conditions make it possible, and whether its cost is reasonable. You can change the proposed step before you begin.

Research supports behavioral activation as a clinical approach to depression, with uncertainty varying across comparisons. One educational implication is that an attainable activity can be examined for its actual effects. BKL's practices are not that treatment and have not been independently validated. Here a small experiment helps us discover whether a particular kind of participation is useful for you in these conditions. ^[2]

Before trying it, make a modest prediction. "If I ask for ten minutes of company without advice, I may feel less alone, or I may discover that this person cannot offer that." Choose a stopping point and an alternative. Afterwards, ask what happened. Relief, burden, no change and a mixed result each deserve a place. If you could not try it, examine what made the proposal inaccessible before making another proposal.

David Whyte's poem *Start Close In* includes the invitation, "Start with your own question." That is a fitting place to pause. Your question may concern a wish, a loss, a limit, a treatment appointment or how to get through tomorrow with help. It does not need to resemble someone else's inspiring beginning. The important work is finding a beginning you can recognize as yours. ^[31]

A chosen action also needs an ending. If a short visit helps, that does not mean the next visit should be longer. If rest makes a little room for interest, the interest need not immediately become a project. We can protect the size at which something was useful. There may be another step later, or there may be a need to repeat the same modest arrangement until it becomes more dependable.

How the pathway accompanies this work

Depression, Motivation, and Recovering Agency offers five modules. The first helps describe what has become hard to reach. The second explores whether wanting and feeling carried a risk. The third examines the conditions restricting your room to act. The fourth develops one manageable, chosen experiment. The fifth considers hope and participation in an uncertain world. You can move through them in order or begin with the concern you recognize.

Each module offers a tentative explanation that you can correct, an invented example, an optional experiment, and time to review the actual result. There is no requirement to remember childhood, feel a particular emotion, share private writing or complete a long sitting. The optional reflection is a way of noticing capacities and circumstances. It produces no diagnosis or recovery score, and you can skip it entirely.

You may also find company in *A Life That Is More Than Getting Through*, or in *The Conversation That May Never Come*. These are related conversations, rather than prerequisites. Begin with the piece that meets the experience you are having now. If reading itself is difficult, one paragraph can be enough contact for today.

If thoughts of suicide arise, seek prompt professional support. If you may act on them or cannot stay safe, use local emergency care immediately. You do not need to finish an exercise or find its meaning before receiving help.

Perhaps the first thing that changes is the way you describe what is happening. You become able to say that a wish is present and energy is missing; that company helps when it does not become another demand; that an old expectation still hurts; that an unfair situation needs an outward response. Nothing about this promises a quick recovery. It gives the next conversation a more accurate place to begin, with more of your life included in it.

References

- [1] National Institute of Mental Health (n.d.). Depression.
- [2] Uphoff, E., et al. (2020). Behavioural activation therapy for depression in adults.
- [3] Treadway, M. T., & Zald, D. H. (2011). Reconsidering anhedonia in depression: Lessons from translational neuroscience.
- [4] Humphreys, K. L., et al. (2020). Child maltreatment and depression: A meta-analysis of studies using the Childhood Trauma Questionnaire.
- [7] Bandura, A. (2001). Social cognitive theory: An agentic perspective.
- [8] IPCC (2022). AR6 Working Group II, Chapter 7: Health, Wellbeing and the Changing Structure of Communities.
- [9] World Health Organization (2026). Mental health at work.

- [10] World Health Organization (2022). Mental health and climate change: Policy brief.
- [11] Moore, T. (2005). Dark Nights of the Soul: A Guide to Finding Your Way Through Life's Ordeals.
- [12] Bly, R. (1988). A Little Book on the Human Shadow.
- [13] Hillman, J., interviewed by S. London (2012). On Soul, Character and Calling: A Conversation with James Hillman.
- [14] Hollis, J., interviewed by D. Lukasik (2019). Slogging Through the Swamp of Lawyer Depression With Dr. James Hollis.
- [15] Maté, G., with Maté, D. (2022). The Myth of Normal: Trauma, Illness, and Healing in a Toxic Culture.
- [17] Aldao, A., Nolen-Hoeksema, S., & Schweizer, S. (2010). Emotion-regulation strategies across psychopathology: A meta-analytic review.
- [18] Bonanno, G. A., Papa, A., Lalande, K., Westphal, M., & Coifman, K. (2004). The importance of being flexible: The ability to both enhance and suppress emotional expression predicts long-term adjustment.
- [20] American Psychiatric Association (n.d.). Prolonged Grief Disorder.
- [22] Bowen Center for the Study of the Family (n.d.). Differentiation of Self.
- [23] Bowlby, J. (1977). The making and breaking of affectional bonds. I. Aetiology and psychopathology in the light of attachment theory.
- [24] Johnson, S. M., interviewed by T. Ferriss (2021). Iconic Therapist Dr. Sue Johnson - How to Improve Sex and Crack the Code of Love (#529).
- [26] Damasio, A., & Carvalho, G. B. (2013). The nature of feelings: Evolutionary and neurobiological origins.
- [27] IFS Institute / model developed by Richard C. Schwartz (n.d.). The Internal Family Systems Model Outline.
- [29] Tatkin, S. (2018). Secure-Functioning Essentials: Taking Care of Yourself and Your Partner at the Same Time.
- [31] Whyte, D. (2026). Start Close In, from David Whyte: Essentials.
- [33] Bly, R. (n.d.). An Interview with Robert Bly, Part 8: Men's Work.

© 2026 Brian Kennedy. All rights reserved.

Explore Depression, Motivation, and Recovering Agency

When Action Has Lost Its Promise